

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
21 June 2001 (21.06.2001)

PCT

(10) International Publication Number
WO 01/45015 A1

(51) International Patent Classification: G06F 17/60

(21) International Application Number: PCT/US00/34311

(22) International Filing Date:
18 December 2000 (18.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/171,089 16 December 1999 (16.12.1999) US

(71) Applicant: PERIMED COMPLIANCE CORPORATION [US/US]; 4501 Highwood Parkway, Suite 200, Glen Allen, VA 23060 (US); CLEMENTS, Andrew; 3800 Kingstream Lane, Chester, VA 23831 (US).

(72) Inventors: STRAUBE, Dietmar; perimed Compliance Corporation, 4501 Highwood Parkway, Suite 200, Glen Allen, VA 23060 (US); COOK, Glen; 5022 Snowmass Terrace, Glen Allen, VA 23060 (US); CLEMENTS, Andrew; 3800 Kingstream Lane, Chester, VA 23831 (US).

(74) Agents: RATCLIFFE, Paul et al.; Greenberg Traurig, 1750 Tyson Blvd, 12th Floor, McLean, VA 22102 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEM AND METHOD FOR ELECTRONIC ARCHIVING AND RETRIEVAL OF MEDICAL DOCUMENTS



(57) Abstract: A system and method for redundantly storing documents, specifically medical records, both on a local computer (101) and on a remote server (111). A copy of patient data is stored remotely in the event of system problems, and to allow access to patient data from multiple sites. Data is stored on the local computer (101) to speed retrieval of the data at a later date. When data stored on the local computer (101) is newer or the same age data stored on the remote server (111), the data is not downloaded from the remote server (111). If the local data is older than the data on the remote server (111), the data is downloaded from the remote server. Data may be displayed and organized utilizing a customizable, hierarchical "tree view". Data may include image files, text files, and information about the files, such as the patient with whom they are associated, the time they were entered into the system, the time of the patient's next appointment, and the like. The client software portion of the present invention may update automatically, or as a result of user interaction. News and other information of interest may be automatically displayed to a user through a connection to the Internet, or through integration with Email, accounting, scheduling, or other systems.

SYSTEM AND METHOD FOR ELECTRONIC ARCHIVING AND RETRIEVAL OF MEDICAL DOCUMENTS

The present application claims the benefit of U.S. Provisional Patent Application
5 Serial Number 60/171,089, entitled "System and Method for Electronic Archiving and
Retrieval of Medical Documents," filed December 16, 1999, the entire contents of which are
incorporated herein by reference.

This application includes material which is subject to copyright protection. The
10 copyright owner has no objection to the facsimile reproduction by anyone of the patent
disclosure, as it appears in the Patent and Trademark Office files or records, but otherwise
reserves all copyright rights whatsoever.

BACKGROUND OF THE INVENTION

15 Field of the Invention

The invention relates in general to electronic document delivery, and in
particular to providing enhanced communication regarding various medical procedures
between the patient and the physician.

20

Related Art

The power of a high-quality page layout on an inexpensive, portable medium
like paper has not diminished since the advent of the internet. Most people still prefer
25 reading documents on paper and appreciate the visual benefits of a properly laid-out

page of text.

Although the Internet offers a quick, inexpensive, and easy method of delivering information, the currently available programming languages that support it are designed to deliver information to a monitor - not to paper. This means that typically a choice must be made between paper based and electronic document management techniques.

Paper based document management requires vast storage space and specialized filing systems, all of which must be managed by a person or group of people.

10

Traditional electronic document management systems improve over paper based systems by converting paper documents to electronic form. By creating electronic files, the physical storage and filing system management requirements are significantly reduced. In addition to the document itself, an electronic document management system may be provided to allow a user to store information about the document, known as metadata, in the database, thus allowing users to search for and retrieve documents.

15

OBJECTS AND SUMMARY OF THE INVENTION

20 In its preferred embodiment, the present invention provides a system for electronic archiving and retrieval of medical documents which provides users with a graphical interface that may be used to store, organize, locate, and retrieve files. The present invention also improves upon the prior art through a standardized or proprietary markup language, such as Hypertext Markup Language (HTML), Standardized Generalized Markup Language (SGML), or eXtensible Markup Language (XML), to store the content of, and/or metadata

25

about, a file. In addition, the present invention may use a standardized or proprietary
stylesheet language, such as Cascading Style Sheets (CSS), eXtensible Stylesheet Language
(XSL), or Portable Document Format (PDF), to store and retrieve page layout information.
The invention also improves upon the prior art by storing data both locally and on a database
5 server, thereby providing redundant storage and also making data available via the Internet.
The present invention further improves upon the prior art by incorporating high-resolution
images and streaming multimedia content to a user, even under low-bandwidth conditions.

Documents stored as part of the present invention may be organized through an
10 underlying database, and information returned by the database may be displayed through a
graphical interface. Through a graphical interface, document data can be organized based on
several criteria, and an underlying organizational structure may be displayed through a "tree
view".

15 **BRIEF DESCRIPTION OF THE DRAWINGS**

Figure 1 illustrates a system overview of the present invention displaying the
computers, servers, and databases used for accessing and delivering the medical records.

20 Figure 2 illustrates the user interface used to access and edit information pertaining to
each document stored in the present invention. Figure 2 specifically illustrates a preview of a
document as it would appear when printed, with the Bookmarks window enabled.

Figure 3 illustrates the user interface used to access and edit information pertaining to each document stored in the present invention. Figure 3 specifically illustrates a preview of a document as it would appear when printed, with the Bookmarks window enabled.

5 Figure 4 illustrates the tree view navigation and other aspects of the user interface to the present invention.

Figure 5 illustrates a user interface used to provide status information to users while the local database is updated.

10

Figure 6 illustrates the user interface used to access and edit information pertaining to each document stored in the present invention. Figure 6 specifically illustrates an interface used to record notes and comments generated by a physician or other caregiver.

15 Figure 7 illustrates a user interface used to access and edit information pertaining to each document stored in the present invention. Figure 7 specifically illustrates adding and editing caregiver or physician information.

Figure 8 illustrates another example of the user interface used to access and edit
20 information pertaining to each document stored in the present invention. Figure 2 specifically illustrates a preview of a document as it would appear when printed, with the Bookmarks window enabled.

Figure 9 illustrates another example of the user interface used to access and edit
25 information pertaining to each document stored in the present invention. Figure 3

specifically illustrates a preview of a document as it would appear when printed, with the
Bookmarks window enabled.

Figure 10 illustrates another example of the tree view and other aspects of the user
5 interface to the present invention, with the Bookmarks window enabled.

Figure 11 illustrates another example of a user interface used to provide status
information to users while the local database is updated.

10 Figure 12 illustrates another example of the user interface used to access and edit
information pertaining to each document stored in the present invention. Figure 6
specifically illustrates an interface used to record notes and comments generated by a
physician or other caregiver.

15 Figure 13 illustrates another example of a user interface used to access and edit
information pertaining to each document stored in the present invention. Figure 7
specifically illustrates adding and editing caregiver or physician information.

20 **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

The present invention provides an electronic archiving and retrieval of medical
documents system which allows users to store, organize, locate, and retrieve files through an
interactive a graphical interface. The present invention may also provide redundant storage

by storing data both locally and on a database server. The database server is accessible via the internet as will be described in conjunction with Figure 1.

5 The present invention consists of a proprietary Internet browser for document transmission and retrieval capable of delivering the content contained within the system. This content may include numerous guides and procedures in a multitude of languages. Typically, the guides and procedures are authored by nationally prominent physicians and subsequently are legally and professionally edited and reviewed..

10 The user can decide between from four versions for implementation of the present invention. The first versions include a CD installed, internet maintained and administered desk top, single computer site. Another version is a CD installed, internet maintained and administered server version, multi-computer site.

15 In addition to the CD installed versions, the user can utilize the Application Service Provider (ASP) version for a stand alone business model or the ASP version for an OEM or integrated business model. The ASP versions seamlessly integrates the components of the present invention within the total information system sold by other vendors meeting the requirements of hospitals and or physician organizations.

20 All versions are complimented with a public web site system on which any individual user worldwide with Internet access can access medical procedure specific information in a multitude of languages. The content, information, medical guides, records, and procedures stored by the present invention can be delivered by the present invention or included as part
25 of other healthcare web systems.

In a preferred embodiment, the present invention makes use of a client/server architecture as shown in Figure 1. The client/server architecture includes personal computers 101, 103, which may be PC's, laptops, personal digital assistants, pagers, cell
5 phone or other computerized devices, which are able to access the document retrieval system 100. The user, through an electronic device, such as a computer 101, 103, accesses the databases 108, 110, 112 through the World Wide Web 105 through web-server 107. The present invention, or system 100 may contain multiple servers, such as web-server 107, multimedia server 109, and database server 111.

10 The present invention includes a remote server system 106 which acts as a central document warehouse, as well as software run on a user's computer 101, 103 which acts as a "client", providing an interface between a user and a central document warehouse.

15 A remote document warehouse system 100 may consist of a World Wide Web (WWW) server 107 ("web server"), a multi-media server 109, and a database server 111. Examples of World Wide Web servers 107 include Internet Information Server, published by Microsoft Corporation of Redmond, Washington, Netscape Enterprise Server, published by Netscape Corporation of Redondo, California, and Apache Server, published by The Apache
20 Software Foundation of Lincoln, Nebraska. Examples of database servers 111 include SQL Server, published by Microsoft, and Oracle, published by Oracle Corporation of Redwood Shores, California.

A web server 107 may be used to facilitate communications between client software
25 running on a user's computer 101, 103, and a database server 111. A client 101, 103, can

create a specially formatted instruction set, utilizing Standardized Query Language ("SQL"), Hypertext Transmission Protocol ("HTTP"), Secure Hypertext Transmission Protocol ("HTTPS"), and/or other similar protocols, to open a connection with a web server (utilizing HTTP's GET command or a similar command). Data sent utilizing HTTPS may be encrypted, thus providing a secure method of transmitting data between a client 101, 103 and a document warehouse 112.

With an open connection, such as through the World Wide Web 105, a client 101, 103 may request data from or ask to store data in a document warehouse database 112. When such a request is received, a web server 107 may pre-process the request, converting the request to a format used by a specific database server, or a request may be sent directly to a database server 111.

A request from a web server 107 to a database server 111 may take the form of a SQL query, Open Database Connectivity ("ODBC") statement, Microsoft JET command, or a combination of these and/or other query languages. A database server 111 receiving a request can process that request, and may return data for display on a user's computer 101,103. Returned data can include query result sets, storage confirmation, and error codes.

When a web server 107 receives information from a database server 111, the information can be transmitted to a user's computer 101, 103. Transmission may be accomplished by keeping open the WWW connection 105 created by the client 101, 103 and returning the results through that connection, or results may be returned by pushing data to the client 101, 103. Client software running on a user's computer 101, 103 may take the form of a World Wide Web "browser", such as Microsoft's Internet Explorer, or Netscape's

Navigator; a custom application; or a hybrid design, incorporating a custom application and a web browser.

When a user enters information into the present invention, the client 101, 103 may
5 store a copy of the information on the local computer 101, 103 as well as on the database
server 111 or in one of the databases 108, 110, 112.

If a user requests information from a database server 111 and the result yields a large
block of data, such as an image, the client software may first check for a local copy of the
10 data. If a local copy exists, date and time stamps or other identifiers can be compared. If the
identifier comparison shows that data stored in the data warehouse 112 is newer than that
which is stored locally, the data is downloaded from the data warehouse 112. However, if the
local copy has the same identifier or is newer than the copy on the database server 111, the
local copy may be used, thus avoiding a lengthy download.

15

In addition to providing a customizable user interface, the present invention also
improves upon the prior art through an infrastructure allowing components of the client
portion of the present invention to be updated whenever newer versions are available. The
client portion 101, 103, of the present invention can periodically communicate with the server
20 portion 106, verifying that all components of the client are at the appropriate revision level.
If a newer version of a component or components is available, the new version or versions
may be automatically downloaded and installed, or a user may interact with the system,
determining when any changes may be applied.

This same system or a similar system may also be used to deliver news and other information to a user. News may be generated by the present invention, or it may be generated at a local administrative level. Examples of news may include recently enacted legislation which may affect a user, updated billing or other requirements from healthcare or health insurance companies, reminders of overtime and other requirements, and other similar measures.

As a further improvement over the prior art, the present invention may create a unique number or other identifier that distinguishes a computer on which a document is created.

Each document entered into the system on a computer contains a reference to this identifier. Files created on other computers may not be viewable unless authorization has been given for the viewing computer. Authorization may be specific to a file, or may include a range of computers. For example, one file entered into the system may restrict viewers to only those on the computer used to enter the file into the system. Another file may restrict viewing computers to all computers within an organizational unit. Another file may allow itself to be viewed by all computers within a hospital or system of hospitals.

The present invention also improves over the prior art by providing a user with not only graphics and text, but also multimedia content. Multimedia content deliverable to a desktop may include audio recordings and video recordings of patient sessions. The present invention may include a separate multimedia server 109 and multimedia database 110 for providing multimedia content, as seen in Figure 1. The present invention may also provide a seamless and secure integration with existing database systems, such as accounting, E-mail, and scheduling systems. For example, scheduling changes may be presented to a user as part

of the previously described news feature, and documents may be securely transmitted via an E-mail system.

In addition, the present invention stores data utilizing standardized markup and style sheet languages, which allows the present invention to properly render a document as it was meant to appear on paper each time it is printed. Storing data utilizing standardized markup and style sheet languages can allow the present invention to provide an alternative representation for display on a display device, such as a computer monitor, personal desktop assistant (PDA), pager, cell-phone, or other computerized device.

10

Figure 2 illustrates an additional example of a user interface 200 which includes the Bookmarks window 220 available through the present invention. The Bookmarks window 220 enables the user to interact with the present invention to access various medical information and files stored within the system. The various features and functions of the user interface 200 include a files menu 201, and data menu 203, a docUguides menu 205, a Language menu 207, a Tools menu 209, and a help menu 211. The Bookmarks, as seen in window 220, allow users to quickly access files stored in the present invention.

In the presently preferred embodiment, the invention utilizes a tree view ("view") navigation as its primary method of organizing and displaying documents, as seen in the Bookmarks window 220. A tree view navigation is a graphical representation of a hierarchical organizational scheme. A tree view can allow a user to combine multiple document types, such as images and text files, into a container ("folder") for organizational purposes. In addition to individual files, a folder may also be used to hold other folders, thus providing a means of graphically organizing data stored in the present invention. A default

25

set of views may be presented to a user when a user is initially given access to the system.

However, users can customize a view or create their own views.

As shown in Figure 2, the tree view depicted in Bookmarks window 220 includes
5 various folders 222, 224. Each of these folders 222, 224, may contain various files, such as
file 226. The ability to store various folders and files in a tree view allows the user to quickly
and accurately access the files and data they are interested in viewing. The user may also
collapse the tree view by selecting the "Collapse Tree" tab.

10 A user may create a custom view as a means to limit the data displayed to them to
only the data in which they are interested. For example, a user may limit the data displayed
to only those patients scheduled for operations on a given day. Tree views can also be used
to illustrate an hierarchical structure based on multiple criteria, and each user may view a
structure differently. For example, an administrator may prefer to organize documents by
15 creating a folder for each department. Within each department, a folder may be created for
various specialties, and within a specialty a folder may be created for each doctor working in
that specialty. Within a doctor's folder, documents may be organized by patient.

Although an administrator may prefer to see documents organized by department,
20 individual physicians or technicians may prefer to see documents organized in a calendar
format, with a folder for each day and subfolders dividing the day, such as morning and
afternoon, or folders for each hour. Organizing based on the day can allow a user to limit the
documents displayed to only those which a user may need on a given day.

Individual settings ("views") may be stored by a user of the present invention. The present invention may also allow a user to retrieve those settings later. Views may be created based on the contents of one or more data or mctadata fields. A view may be created that only display files or folders based on specific criteria, such as, but not limited to, keywords, entry date, appointment date, or priority. Although a view can allow a user to create an organized, graphical representation of data stored in the present invention, any underlying data structure may not be affected by changes to a view.

In addition, the present invention has additional features and functions which pertain to individual files 226 which are accessed by the user. As can be seen in Figures 2 through 7, the user can select the appropriate medical information they want to view. As seen in Figure 2, the user can select which files to view through the various files tabs which include Content 206, Search 208, Favorites 210, and History 212. The user can print the medical document, record or file using print button 202 and can go to the start or home page using the "Home" button 204. The file 226 selected by the user is highlighted in window 220 and indicated in title bar 230. Figure 2 displays a medical document window 240 which displays the appropriate selected information from the selected file 226. The user can select which information to view regarding the selected file 226 by choosing between the viewing tabs which include the docUguide 244, docUguide remarks, and "perimed" remarks 247. The user can also view docUguide information by selecting tab 228 and can be shown patient specific information in window 242. The user can scan the document up and down for viewing the entire medical document file by choosing viewing bar 232.

Figure 3 contains the same screen capture as displayed in Figure 2, except the screen capture 300 includes the additional window 320 which indicates medical record files which

had been marked under the favorites tab 310. The medical document files can be added to the favorites list by use of bars 321 and 323. The medical file selected is still shown in window 340.

5 Figure 4 represents a screen capture 400 indicating a home page 440 which is highlighted in the bookmark window 420 on the tree view, as previously described. The screen capture 400 also includes a remarks window 450 accessed by remarks tab 446.

 Figure 5 illustrates a user interface screen 500 used to provide status information to
10 users while the local database is updated. Data kept locally may be stored in a database or as part of the file.

 Figures 6 and 7 illustrate additional portions of a user interface available through the present invention. Figure 6 illustrates an interface used to record notes and comments
15 generated by a physician or other caregiver. As indicated in Figures 2 through 7, the user may select from the files 226, as seen in Figure 2. Provided the user has proper access they will be able to add comments within the specific areas such as perimed remarks or docUguide remarks. Under the docUguide preferences tab 646 a user can review notes in window 650.

20 Figure 7 depicts another user interface 700 where physicians have the ability to select a patient in window 760 and edit or change information about the patient using window 770. The physician, in window 770, may select to review or edit the patient information under the "Patient" tab 771 or review or edit under the "Surrogate Decision Maker" tab 773. All changes and modification can be saved using tab 775.

25

Figures 8 through 13 provide additional examples of various user interface pages for the user to access, review, edit and save medical documents, records and files. Figure 8 illustrates an additional example of a user interface 800 which includes the Bookmarks window 810 available through the present invention. The Bookmarks window 810 enables the user to interact with the present invention to access various medical information and files stored within the system. The various features and functions of the user interface 800 include a files menu 801, and edit menu 803, a view menu 805, and a help menu 807. The Bookmarks, as seen in window 810, allow users to quickly access files stored in the present invention. The Bookmarks window 810 may be viewed or hidden by clicking the book icon 804 in the toolbar 836, or by choosing Bookmarks under the View menu 805.

Once again the invention may utilize a tree view ("view") as its primary method of organizing and displaying documents, as seen in the Bookmarks window 810. The tree view allows a user to combine multiple document types into a container ("folder") for organizational purposes as well as hold other folders, thus providing a means of graphically organizing data stored in the present invention. A default set of views may be presented to a user when a user is initially given access to the system. However, users can customize a view or create their own views.

As can be shown in Figure 8, the tree view depicted in Bookmarks window 810 includes various folders 812, 814, 816. Each of these folders 812, 814, 816, may contain various files, such as 818. The ability to store various folders and files in a tree view allows the user to quickly and accurately access the files and data they are interested in viewing.

In addition, the present invention has additional features and functions which pertain to individual files 818 which are accessed by the user. As can be seen in Figures 8 through 13, the user can select the appropriate medical information they want to view. As seen in Figure 8, the user can select between physician preferences 822, CID (Consent Information Document) preview 824, patient information 826, caregiver information 828, and details 830. 5 The file 818 selected by the user is also highlighted and indicated in title bar 820. In addition, the user can select the language in which to view the information utilizing menu 835. Figure 8 represents a screen shot 840 of information available under the CID preview 824 tab. The information contained in each tab may include notes to the patient as indicated in 842, as well as address patient information. The CID preview information can be used to 10 verify and communicate patient consent for a medical procedure.

As seen in Figure 9 which contains the same screen capture as displayed in Figure 8, except the screen capture 900 includes the additional window 950 which indicates 15 bookmarked files which have been accessed.

Figure 10 represents a screen capture 1000 indicating a home page 1040 which is highlighted in the bookmark window 410 on the tree view, as previously described. The screen capture 1000 also includes the previously accessed files indicated in window 1050. 20

Figure 11 illustrates a user interface screen used to provide status information to users while the local database is updated. Data kept locally may be stored in a database or as part of the file.

Figures 12 and 13 illustrate additional portions of a user interface available through the present invention. Figure 12 illustrates an interface used to record notes and comments generated by a physician or other caregiver. As indicated in Figures 8 through 13, the user may select from the various tabs 822, 824, 826, 828, 830 to review or add information in a specific area. Under the physician preferences tab 822 a one can review caregiver notes in window 1252 or caregiver comments in window 1254. In addition, those with access to amend, edit or add text may do so through the user interface 1200. Therefore, a physician or caregiver may add appropriate text to the caregiver notes 1252 or caregiver comments 1254.

Figure 13 specifically illustrates adding and editing caregiver or physician information. When the caregiver adds or edits information they access the caregiver tab 828, as seen in Figure 8. Upon selecting the caregiver tab 828 the physician is provided screen 1360 in which they indicate the file within which they would like to edit or add comments. A separate screen 1370 is displayed in which the caregiver can edit and add information.

It can thus be seen that the present invention improves over the prior art by providing an intuitive, graphical interface to the underlying data. The present invention further improves upon the prior art by operating remotely across the Internet, including storing duplicate copies of files on a remote data warehouse, and receiving software updates and news of interest to users through the Internet. The present invention also builds upon the prior art by integrating with E-mail, accounting, and scheduling

Further, the present invention may also include an outcome measurement system and a complications data collection system. The Outcomes Measurement System will consist of Internet enabled branching questionnaires for both the physician and the patient to complete

on a pre-scheduled basis for a defined time period, for example 3 years, following each medical procedure in a given category. The responses to the questionnaires and other pertinent data related to the procedure will be collected, accumulated, analyzed and stored in a dedicated data repository.

5

The present invention may also employ a Complications Data Collection System which will consist of Internet enabled event and data recording tools which are able to document extraordinary events which occur during and after each medical procedure. The data from the Complications Data Collection System will be collected, accumulated, analyzed, and stored in a dedicated data repository.

10

Other applications for which the present invention may acquire and analyze data and or obtain patient consent would include Clinical trials informed consent, pharmaceutical usage informed consent, advanced directives instructions, certain versions of medical best practices, and a synopsis or questionnaire format procedure which may include notes records at or immediately after a surgical or diagnostic procedure.

15

The present invention provides a dynamic Internet enabled tool for the patient-physician Informed Consent Process, in which each medical consent form may be mass customized for the specific patient-physician relationship, and contain the actual historical record of medical complications and outcomes measures for each client physician or organization. The present invention provides a medical information system to record, analyze, retrieve and distribute actual or physician specific medical data on the fly from a data repository.

25

While the invention has been particularly shown and described with reference to a preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and details may be made therein without departing from the spirit and scope of the invention.

WHAT IS CLAIMED IS:

1. A system for archiving and retrieval of medical documents comprising:
 - an electronic device for accessing a database through a system server,
 - a software application loaded on at least one of said electronic device and said
 - 5 system server for providing a user interface, wherein said user interface includes a tree view file navigation; and
 - an Internet browser loaded on at least one of said electronic device and said
 - system server for the transmission of at least one medical document file;
 - wherein said system server retrieves medical document files on said database and
 - 10 transmits said medical document files to said electronic device for display on said user interface.
2. The system of claim 1, wherein said software application is a CD installed and internet maintained application for a single computer.
- 15 3. The system of claim 1, wherein said software application is a CD installed and internet maintained application for a network of computers.
4. The system of claim 1, wherein said software application is an Application Service
- 20 Provider application for a single computer.
5. The system of claim 1, wherein said software application is an Application Service Provider application for a network of computers.
6. The system of claim 1, wherein said electronic device is a personal computer.

25

7. The system of claim 1, wherein said electronic device is a personal digital assistant.
8. The system of claim 1, wherein said electronic device is a wireless phone.
9. The system of claim 1, wherein said electronic device is a beeper.
10. A method of archiving and retrieving medical documents comprising the steps of:
establishing a client computer to a system computer communication link;
selecting a medical document file from within a user interface provided as part of a software application;
determining which of said medical document files are stored on said client computer and which are stored on said system computer;
accessing said medical document file from said system computer;
transmitting said accessed medical document file to said client computer; and
displaying said medical document file on said user interface.
11. The method of claim 10, further comprising the step of selecting said medical document file using a tree view navigation through said user interface.
12. The method of claim 10, further comprising the step of establishing a communication link over the World Wide Web.
13. The method of claim 10, further comprising the step of accessing said medical document file for a patient's informed consent of medical treatment.

14. The method of claim 10, further comprising the step of printing said medical document file in a standard medical document format.

5 15. A system for archiving and retrieval of medical documents comprising:
 an electronic device for accessing a database through a system server;
 a software application for providing a user interface; and
 an Internet for the transmission of at least one medical document file;
 wherein said system server retrieves medical document files on said database and
10 transmits said medical document files to said electronic device for display on said user
 interface.

 16. The system of claim 15, wherein said software application is loaded on at least
 one of said system server and said electronic device.

15 17. The system of claim 15, wherein said Internet browser is loaded on at least one of
 said system server and said electronic device.

 18. A method of providing informed consent for medical procedures via computer to
20 computer communication comprising the steps of:
 establishing a client computer to a system computer communication link;
 selecting a medical document file from within a user interface provided as part of
 a software application, wherein said medicinal document file comprises a medical procedure
 informed consent document;

- accessing said medical document file from at least one of said client computer or said system computer;
- transmitting said accessed medical document file to said client computer;
- displaying said medical document file on said user interface, whereby a patient
- 5 can review said medical procedure informed consent document; and
- archiving said patient review and acceptance of a medical treatment described in said medical procedure informed consent document.




FIGURE 1

201 203 205 207 209 211 210 212 214

202
204
206
208

222
224
226

230
232

240
242

244 246 247

248

250

252

254

256

258

260

262

264

266

268

270

272

274

276

278

280

282

284

286

288

290

292

294

296

298

300

302

304

306

308

310

312

314

316

318

320

322

324

326

328

330

332

334

336

338

340

342

344

346

348

350

352

354

356

358

360

362

364

366

368

370

372

374

376

378

380

382

384

386

388

390

392

394

396

398

400

402

404

406

408

410

412

414

416

418

420

422

424

426

428

430

432

434

436

438

440

442

444

446

448

450

452

454

456

458

460

462

464

466

468

470

472

474

476

478

480

482

484

486

488

490

492

494

496

498

500

502

504

506

508

510

512

514

516

518

520

522

524

526

528

530

532

534

536

538

540

542

544

546

548

550

552

554

556

558

560

562

564

566

568

570

572

574

576

578

580

582

584

586

588

590

592

594

596

598

600

602

604

606

608

610

612

614

616

618

620

622

624

626

628

630

632

634

636

638

640

642

644

646

648

650

652

654

656

658

660

662

664

666

668

670

672

674

676

678

680

682

684

686

688

690

692

694

696

698

700

702

704

706

708

710

712

714

716

718

720

722

724

726

728

730

732

734

736

738

740

742

744

746

748

750

752

754

756

758

760

762

764

766

768

770

772

774

776

778

780

782

784

786

788

790

792

794

796

798

800

802

804

806

808

810

812

814

816

818

820

822

824

826

828

830

832

834

836

838

840

842

844

846

848

850

852

854

856

858

860

862

864

866

868

870

872

874

876

878

880

882

884

886

888

890

892

894

896

898

900

902

904

906

908

910

912

914

916

918

920

922

924

926

928

930

932

934

936

938

940

942

944

946

948

950

952

954

956

958

960

962

964

966

968

970

972

974

976

978

980

982

984

986

988

990

992

994

996

998

1000

1002

1004

1006

1008

1010

1012

1014

1016

1018

1020

1022

1024

1026

1028

1030

1032

1034

1036

1038

1040

1042

1044

1046

1048

1050

1052

1054

1056

1058

1060

1062

1064

1066

1068

1070

1072

1074

1076

1078

1080

1082

1084

1086

1088

1090

1092

1094

1096

1098

1100

1102

1104

1106

1108

1110

1112

1114

1116

1118

1120

1122

1124

1126

1128

1130

1132

1134

1136

1138

1140

1142

1144

1146

1148

1150

1152

1154

1156

1158

1160

1162

1164

1166

1168

1170

1172

1174

1176

1178

1180

1182

1184

1186

1188

1190

1192

1194

1196

1198

1200

1202

1204

1206

1208

1210

1212




Figure 3





Figure 4

400



500

Figure 5




Figure 7

940

Consent Information Document (CID)[™]

Administration of Anesthesia Adult Inpatient

Anesthesia is planned for the following procedure: _____ Date and Time: _____

Facility or location where procedure will take place: _____

Your Local Caregiver: _____

Physician/agent performing procedure: _____ Contact Number: _____

Dr. Informed Caregiver: _____ Unknown

950

900

Figure 9





Figure 10

1100**Figure 11**

1252

Please make sure you remind the patient to show up 1 hour before the scheduled procedure to fill out paperwork.

1254

Please do not eat or drink anything for 12 hours before this procedure.

1250

1200

Figure 12




Figure 13

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/34311

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : G06F 17/60

US CL : 705/3

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 705/3

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,903,889 A (DE LA HUERGA et al.) 11 May 1999 (11.05.1999), column 3, lines 9-18, column 3, lines 30-34, column 8, lines 1-5, Figures 1 and 2.	1-6, 10-12, 14-17

Y		7-9, 13, 18
Y	US 5,950,632 A (REBER et al.) 14 September 1999 (14.09.1999), column 3, lines 26-31.	7-9
Y	US 5,734,883 A (UMEN et al.) 31 March 1998 (31.03.1998), abstract, Table 2A.	13, 18

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

A document defining the general state of the art which is not considered to be of particular relevance

E earlier application or patent published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X

documents of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y

documents of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

&

documents member of the same patent family

Date of the actual completion of the international search

27 March 2001 (27.03.2001)

Date of mailing of the international search report

27 APR 2001

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231
Facsimile No. (703)305-3230

Authorized officer

Tariq R Hafiz

Telephone No. (703) 305-3900